

#### BNPNS Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Product Code Never-Seez Pure Nickel Special BNPNS

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use	Lubricants, greases, release products.
Uses Advised Against	No information available

1.3. Details of the Supplier of the Safety Data Sheet

### **Responsible Party**

Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) Fax: +1 (414) 774-8075

E-mail msds@bostik-us.com

#### 1.4. Emergency Telephone Number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

### Section 2: HAZARD IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1


#### 2.2. Label Elements

#### EMERGENCY OVERVIEW

## DANGER

Hazard statements May cause an allergic skin reaction Suspected of causing cancer Causes damage to organs through prolonged or repeated exposure

BNPNS Never-Seez Pure Nickel Special Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02



Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see first aid measures on this label) IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards Not Otherwise Classified (HNOC)

Not applicable

#### Unknown acute toxicity

3.03% of the mixture consists of ingredient(s) of unknown toxicity

#### 2.3. Other Information

No information available.

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### <u>Mixtures</u>

Chemical Name	CAS No.	Weight-%
Graphite	7782-42-5	10 - 30
Nickel	7440-02-0	10 - 30
Aluminum	7429-90-5	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

#### Section 4: FIRST AID MEASURES

BNPNS			
<b>Never-Seez</b>	Pure	Nickel	Special

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

4.1. Description of First Aid Measu	res
General Advice	If medical advice is needed, have product container or label at hand.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. May cause sensitization by skin contact.
Inhalation	Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If not breathing, give artificial respiration. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the First Aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
4.2. Most Important Symptoms and	Effects, Both Acute and Delayed
Symptoms	No information available.
4.3. Indication of Any Immediate M	edical Attention and Special Treatment Needed
Note to physicians	May cause sensitization of susceptible persons.
4.4. Reference to Other Sections	
Reference to Other Sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION
Section 5: FIRE-FIGHTING M	IEASURES
5.1. Extinguishing Media	

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

#### 5.2. Special Hazards Arising from the Substance or Mixture

#### **Specific Hazards Arising from the Chemical**

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion Data	
Constitution	84.0

Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

None. None.

#### **BNPNS**

**Never-Seez Pure Nickel Special** 

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

protective gear.

### Section 6: ACCIDENTAL RELEASE MEASURES 6.1. Personal Precautions, Protective Equipment and Emergency Procedures **Personal Precautions** Use personal protective equipment as required. Keep people away from and upwind of spill/leak. 6.2. Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do **Environmental Precautions** not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. 6.3. Methods and Material for Containment and Cleaning up **Methods for Containment** Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal. Methods for Cleaning up Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. 6.4. Reference to other sections **Reference to Other Sections** Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS Section 7: HANDLING AND STORAGE 7.1. Precautions for Safe Handling Use personal protective equipment as required. Handle in accordance with good industrial Advice on Safe Handling hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. After contact with skin, wash immediately with plenty of water and soap. Wash contaminated clothing before reuse. 7.2. Conditions for Safe Storage, including any Incompatibilities Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. **Incompatible Materials** None known based on information supplied. 7.3. Specific End Use(s) No information available. **Other Information** 7.4. References to Other Sections

**Reference to Other Sections** Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **BNPNS Never-Seez Pure Nickel Special**

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

#### 8.1. Control Parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Graphite	TWA: 2 mg/m <sup>3</sup> respirable	IDLH: 1250 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 2 mg/m <sup>3</sup>
7782-42-5	particulate matter all forms	TWA: 2.5 mg/m <sup>3</sup> natural	synthetic	
	except graphite fibers	respirable dust	TWA: 5 mg/m <sup>3</sup> respirable	
			fraction synthetic	
			TWA: 15 mppcf natural	
Nickel	TWA: 1.5 mg/m <sup>3</sup> inhalable	IDLH: 10 mg/m <sup>3</sup> IDLH: 10	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
7440-02-0	particulate matter	mg/m³ Ni		
		TWA: 0.015 mg/m <sup>3</sup> TWA:		
		0.015 mg/m <sup>3</sup> except Nickel		
		carbonyl Ni		
Aluminum	TWA: 1 mg/m <sup>3</sup> respirable	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> TWA: 5
7429-90-5	particulate matter	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	mg/m <sup>3</sup>
		dust TWA: 5 mg/m <sup>3</sup> Al	fraction	

Chemical Name	Argentina	Brazil	Chile	Venezuela
Graphite	TWA: 2 mg/m <sup>3</sup>	-	TWA: 1.6 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
7782-42-5				
Nickel	TWA: 1.5 mg/m <sup>3</sup>	-	TWA: 0.8 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>
7440-02-0	_			_
Aluminum	TWA: 10 mg/m <sup>3</sup> TWA: 5	-	TWA: 8 mg/m <sup>3</sup> TWA: 4	TWA: 10 mg/m <sup>3</sup>
7429-90-5	mg/m <sup>3</sup>		mg/m <sup>3</sup>	_

#### 8.2. Exposure Controls

**Engineering Controls** 

	Eyewash stations Ventilation systems.
Personal protective equipment [PF	PE]
Eye/Face Protection	Tight sealing safety goggles.
Skin and Body Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Consideration	<b>is</b> Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off all contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Showers

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State	Solid
Appearance	Paste
Color	Grey
Odor	Petroleum
Odor Threshold	No information available

Values

**Property** рΗ

Remarks • Method No information available

Page 5/10

BNPNS Never-Seez Pure Nickel Special Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

Melting Point/Freezing Point	No information available
Boiling Point	No information available
Flash Point	246.1 °C / 475 °F
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor Pressure	No information available
Vapor Density	No information available
Relative Density	No information available
Water Solubility	No information available
Solubility in Other Solvents	
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Kinematic Viscosity	No information available
Dynamic Viscosity	No information available
Explosive Properties	No information available
Oxidizing Properties	No information available
9.2. Other Information	
Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	100.0
Density	1.280 g/cm <sup>3</sup>
VOC	No information available

### Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical Stability

Stable under recommended storage conditions.

#### 10.3. Possibility of Hazardous Reactions

None under normal processing.

#### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

#### 10.5. Incompatible Materials

None known based on information supplied.

#### 10.6. Hazardous Decomposition Products

None known based on information supplied.

**BNPNS Never-Seez Pure Nickel Special** 

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

### Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on Toxicological Effects

Product Information	No Data Available
Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg (Rat)	-	-
7440-02-0			
Aluminum	LD50 >10,000 mg/Kg (Rat)(OECD	-	-
7429-90-5	Guideline 401)		

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Irritation Corrosivity Sensitization Germ Cell Mutagenicity Reproductive Toxicity Developmental Toxicity Teratogenicity STOT - Single Exposure STOT - Repeated Exposure Chronic Toxicity	No information available. No information available. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated
Target Organ Effects Aspiration Hazard Carcinogenicity	exposure. Central Vascular System (CVS), Eyes, Lungs, Nasal Cavities, Respiratory system, Skin. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel	-	Group 2B	Reasonably Anticipated	Х
7440-02-0				

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical Name Algae/Aquatic Plants Fish	Toxicity to Crustacea Microorganisms
---	---

#### BNPNS Never-Seez Pure Nickel Special

#### Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

Nickel	EC50 72 h = 0.18 mg/L	LC50 96 h > 100 mg/L	EC50 48 h > 100 mg/L
7440-02-0	(Pseudokirchneriella	(Brachydanio rerio ) LC50 96	(Daphnia magna ) EC50 48
	subcapitata) EC50 96 h	h = 1.3 mg/L (Cyprinus	h = 1 mg/L (Daphnia magna
	0.174 - 0.311 mg/L	carpio semi-static) LC50 96	Static)
	(Pseudokirchneriella	h = 10.4 mg/L (Cyprinus	
	subcapitata)	carpio static)	

#### 12.2. Persistence and Degradability

No information available.

#### 12.3. Bioaccumulative Potential

No information available.

#### 12.4. Mobility in Soil

No information available.

#### 12.5 Other adverse effects

No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

Disposal of Wastes	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations
Contaminated Packaging	Dispose of in accordance with federal, state and local regulations

### Section 14: TRANSPORTATION INFORMATION

#### DOT

UN/ID No	UN3077
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Nickel), Marine Pollutant
Hazard Class	9
Packing Group	III
Special Provisions	146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Nickel), 9, III, Marine
Emergency Response Guide	Pollutant
Number	171
IATA UN/ID No Proper Shipping Name Hazard Class Packing Group ERG Code Special Provisions Description	UN3077 Environmentally hazardous substance, solid, n.o.s. (Nickel) 9 III 9L A158, A179, A97, A197 UN3077, Environmentally hazardous substance, solid, n.o.s. (Nickel), 9, III
IMDG	UN3077
UN/ID No	Environmentally hazardous substance, solid, n.o.s. (Nickel), Marine Pollutant
Proper Shipping Name	Page 8 / 10

#### BNPNS Never-Seez Pure Nickel Special

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

Hazard Class	9
Packing Group	III
EmS-No	F-A, S-F
Special Provisions	274, 335, 966, 967, 969
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Nickel), 9, III, Marine
-	Pollutant

### Section 15: REGULATORY INFORMATION

### **Global Inventories**

TSCA	Listed
DSL	Listed

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### WHMIS Hazard Class

D2A - Very toxic materials



#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.
Nickel	7440-02-0
Aluminum	7429-90-5

#### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **California Proposition 65**

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No.
Nickel	7440-02-0

#### Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

#### BNPNS

#### **Never-Seez Pure Nickel Special**

Revision Date 21-Apr-2017 Supersedes Date: 06-Jan-2016 Version 1.02

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Section 16: OTHER INFORMATION

#### Product(s) Covered

BNPNS1-BTC12	PURE NI SPL 12/1#BT NSBT16N	
BNPNS1-FTC12	PURE NI SPL 12/1#FT NSN165	
BNPNS425D1	PURE NI SPL 425#D NSN425B	
BNPNS42PS1	PURE NI SPL 42#PS NSN42B	
BNPNS8-FTC4	PURE NI SPL 4/8#FT NSN8	
BNPNS8BTC12	PURE NI SPL 12/8OZ BT NSBT8N	

HMIS Health Hazards 2\* Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet No information available

## Key Literature References and Sources for Data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	21-Apr-2017
Revision Note	SDS sections updated, 1, 4, 6, 7, 8, 16.
Training Advice	No information available
Additional information	No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**